# Hays Consolidated Independent School District High School Youth Risk Behavior Surveillance Survey Report, 2014

Prepared by:

Kelsey Olson, BHWP

Dept. of Health & Human Performance

**Texas State University** 

#### **Table of Contents**

District-wide High School Summary	3#
Purpose, Methods and Reporting Notes	4#
Unintentional Injuries and Violence  Table 1: Percent Responses to Unintentional Injuries and Violence Statements, by Survey	
Tobacco Use	
Alcohol and Other Drug Use  Table 3: Percent Responses to Alcohol and Other Drug Use Statements, by Survey	
Sexual Behavior  Table 4: Percent Responses to Sexual Behavior Statements, by Survey	
Dietary Behaviors and Weight Control  Table 5: Percent Responses to Dietary Behavior and Weight Control Statements, by Survey	
Physical Activity  Table 6: Percent Responses to Physical Activity Statements, by Survey	
Other Health Topics  Table 7: Percent Responses to Other Health Topics Statements, by Survey	
Site-Specific Questions	15#
Special Items Table	17#
Crosstab Questions.  Crosstab Table 1:  Crosstab Table 2:	18#
Crosstab Table 4: Crosstab Table 5: Crosstab Tab	19#
Crosstab Table 6:	20#
Crosstab Table 8:	20#
Crosstab Table 11:	22#
Crosstab Table 15:  Crosstab Table 15:  Crosstab Table 15:	

#### District-wide High School Summary

#### **District Strengths (Dark Green)**

Compared to high school students in Texas, Hays CISD high school students are at comparatively low risk in the areas of:

- Smoking cigarettes
- Quitting smoking
- Purchasing cigarettes from a store or gas station

#### **District Needs (Orange and Red)**

Hays CISD high school students are at comparatively high risk in the areas of:

- Seat belt use
- Early initiation of sexual activity
- Not eating vegetables

#### Purpose, Methods and Reporting Notes

The Youth Risk Behavior Surveillance (YRBS) is a nationally accredited and validated survey developed by the Centers for Disease Control and Prevention (CDC) used to evaluate health-risk behaviors. The survey used to evaluate Hays Consolidated ISD has been modified from its original form to fit the district's request for information.

Evaluation of the high school student population in the District will contribute to the local knowledge base about current youth risk behaviors and the development of interventions/programs to address the most prevalent behaviors.

The YRBS monitors six types of health-risk behaviors that contribute to the leading causes of death and disability among youth and adults, including:

- Behaviors that contribute to unintentional injuries and violence
- Sexual behaviors that contribute to unintended pregnancy and sexually transmitted diseases
- Alcohol and other drug use
- Tobacco use
- Unhealthy dietary behaviors
- Inadequate physical activity
- CDC YRBSS also measures the prevalence of obesity and asthma among youth and young adults.

Hays CISD administered the survey via paper-based survey and Scantron in May 2014. Surveys were administered to all high school students across the District. Of those administered, 3,265 students responded.

The total population of respondents was as follows:

Hays High School: 57.6% (1774)Lehman High School: 39.1% (1206)

Impact Center: 1.6% (48)Live Oak Academy: 1.3% (40)

Data presented in each table are from the following sources:

- United States 2013: United States Centers for Disease Control and Prevention (CDC), national-level data from YRBS administered in 2013
- State of Texas 2013: United States Centers for Disease Control and Prevention, state-level data from YRBS administered in 2013
- Hays CISD 2012: Hays CISD, district-wide administration of YRBS in May 2012
- Hays CISD 2014: Hays CISD, district-wide administration of YRBS May, 22 2014

Percent difference between Hays CISD and Texas data (or national) was calculated by subtracting Texas data percent from Hays CISD percent, then dividing by the average of the two and multiplying by 100%. In this report, negative percent difference indicates that the Hays CISD percent is lower than the Texas percent; positive percent difference indicates that the Hays CISD percent is higher than the Texas percent.

Shading demonstrates the degree to which Hays CISD differs from the state or national data. Statements for which Hays CISD had a lower risk were shaded green; statements in which Hays CISD had a higher risk were shaded in red. The table below shows the meaning of each shade of green and red.  $\pm$ 

Lower Risk	Higher Risk
-1% to -10% Difference	0%-10% Difference
-11% to -40% Difference	11% to 40% Difference
-41% to -70% Difference	41% to 70% Difference
-71% or Larger Difference	71% or Larger Difference

#

While the degree of difference from Texas is a guide for areas of focus, it is also important to consider whether the percent of Hays CISD students engaging in each of these behaviors is acceptable to the community.

Future administrations of the YRBS will build upon lessons learned from the 2012 and 2014 administration of the survey in order to maximize response rates from every school.

#

#### Unintentional Injuries and Violence

- Hays CISD students reported fairly high percentage of engaging in unsafe driving behaviors compared to National and Texas data.
- More students responded that they did not attend school due to feeling unsafe at school or on their way to or from school on at least 1 day during the 30 days before the survey than National and Texas Data.
- More students reported feeling sad or hopeless (almost every day for 2 or more weeks in a row)
  as compared to students nationally and statewide.
- Hays CISD students reported higher percentages of attempting suicide and suicide attempts resulting in injuries that needed treatment than National and Texas data.

Table 1: Percent Responses to Unintentional Injuries and Violence Statements, by Survey

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
#7. Rarely or never wore a seat belt				
(when riding in a car driven by someone	7.6%	7.4%	17.7%	13.9% (450)*
else)				
#9. Rode with a driver who had been				
drinking alcohol one or more times (in a	21.9%	28.7%	29.8%	26.3% (851)
car or other vehicle during the 30 days				
before the survey				
#10. Drove when drinking alcohol one or	40.00/	44.20/	44.40/	0.00/ (0.00)
more times (a car or other vehicle during	10.0%	11.2%	11.4%	8.2% (263)
the 30 days before the survey)				
#11. Carried a weapon on at least 1 day	47.00/	10 40/	10.20/	10.00/ (517)
(for example, a gun, knife, or club during the 30 days before the survey)	17.9%	18.4%	19.2%	16.0% (517)
#12. Carried a gun on at least 1 day				
(during the 30 days before the survey)	5.5%	6.0%	7.7%	5.9% (194)
#13. Carried a weapon on school property				
on at least 1 day (for example, a gun,				
knife, or club during the 30 days before	5.2%	5.6%	6.3%	5.7% (185)
the survey)				
#14. Did not go to school because they				
felt unsafe at school or on their way to or	- 404			0.00(10(0)
from school on at least 1 day (during the	7.1%	7.7%	7.0%	9.8% (318)
30 days before the survey)				
#15. Threatened or injured with a				
weapon on school property one or more	6.9%	7.1%	7.7%	6.7% (217)
times (for example, a gun, knife, or club	0.9%	7.1%	7.7%	6.7% (217)
during the 12 months before the survey)				
#16. In a physical fight one or more times	24.7%	25.4%	25.6%	19.2% (620)
(during the 12 months before the survey)	24.7/0	23.470	23.070	13.270 (020)
#17. Injured in a physical fight one or				
more times (injuries had to be treated by	3.1%	3.5%	4.3%	3.6% (114)
a doctor or nurse, during the 12 months	3.270	3.370	41070	3.070 (224)
before the survey)				

Question	United States	Texas	Hays	Hays
	2013	2013	2012	2014
#18. In a physical fight on school property				
one or more times (during the 12 months	8.1%	9.1%	10.2%	9.0% (290)
before the survey)				
#19. Hit, slapped, or physically hurt on				
purpose by their boyfriend or girlfriend	10.3%	9.9%	11.4%	11.5% (371)
(during the 12 months before the survey)				
#20. During the past 12 months, did your				
boyfriend or girlfriend ever force you to	No Data	No Data	8.7%	11.0% (354)
do something you did not want to do?				
#21. Bullied on school property (during	19.6%	19.1%	20.5%	21.2% (687)
the 12 months before the survey)	19.0%	19.1%	20.5%	21.2% (007)
#22. Ever been electronically bullied				
(including through e-mail, chat rooms,	14.8%	13.8%	15.8%	14.9% (482)
instant messaging, Web sites, or texting	14.0%	15.0%	15.6%	14.5% (462)
during the 12 months before the survey)				
#24. Felt sad or hopeless (almost every				
day for 2 or more weeks in a row so that	29.9%	28.3%	32.8%	33.8% (1090)
they stopped doing some usual activities	29.9%	28.5%	32.8%	33.8% (1090)
during the 12 months before the survey)				
#26. Seriously considered attempting				
suicide (during the 12 months before the	17.0%	16.7%	16.6%	15.6% (504)
survey)				
#27. Made a plan about how they would				
attempt suicide (during the 12 months	13.6%	15.6%	16.3%	15.5% (499)
before the survey)				
#28. Attempted suicide one or more				
times (during the 12 months before the	8.0%	10.1%	13.2%	14.4% (466)
survey)				
#29. Suicide attempt resulted in an injury,				
poisoning, or overdose that had to be	2 =2/	2 50/	F 10/	E 40/ (4CE)
treated by a doctor or nurse (during the	2.7%	3.5%	5.1%	5.1% (165)
12 months before the survey)				

<sup>• \*</sup>Data within parentheses represents the number of students involved in each behavior. These data are not weighted and a direct comparison within state and national data would be misleading.

#### Tobacco Use

- Hays CISD students reported ever trying cigarette smoking less often than National and Texas data.
- Hays CISD students reported usually obtaining their own cigarettes by buying them in a store or gas station substantially less often than National and Texas data.

Table 2: Percent Responses to Tobacco Use Statements, by Survey

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
<b>#30. Ever tried cigarette smoking</b> (even one or two puffs)	41.1%	42.1%	47.3%	39.7% (1277)
#31. Smoked a whole cigarette for the first time before age 13 years	9.3%	8.5%	11.6%	8.4% (259)
<b>#32. Smoked cigarettes on at least 1 day</b> (during the 30 days before the survey)	15.7%	14.1%	21.5%	16.4% (530)
#32. Ever smoked at least one cigarette every day for 30 days	8.8%	7.0%	2.7%	2.4% (76)
#33. Smoked more than 10 cigarettes per day (among students who currently smoked cigarettes, on the days they smoked during the 30 days before the survey)	8.6%	7.6%	1.4%	.9% (27)
#35. Usually obtained their own cigarettes by buying them in a store or gas station (among the students who were aged <18 years and who currently smoked cigarettes, during the 30 days before the survey)	18.1%	16.0%	5.2%	4.8% (153)
#36. Did not try to quit smoking cigarettes (among students who currently smoked cigarettes, during the 12 months before the survey)	52.0%	49.6%	12.0%	9.4% (299)
<b>#37.</b> Used chewing tobacco, snuff, or dip on at least 1 day (during the 30 days before the survey)	8.8%	8.1%	7.8%	8.0% (254)
#38. **Used chewing tobacco, snuff, or dip on school property on at least 1 day (during the 30 days before the survey)	No data	No data	5.8%	6.0% (192)
#39. Smoked cigars, cigarillos, or little cigars on at least 1 day (during the 30 days before the survey)	12.6%	13.7%	17.5%	12.1% (388)

#### Alcohol and Other Drug Use

- Hays CISD students' reported higher levels of alcohol use than U.S. and Texas report. However,
   substantially fewer reported usually obtaining the alcohol they drank by someone giving it to them.
- The percent of Hays CISD students who report ever having smoke marijuana, tried the drug prior to the age of 13, and smoked it within the past month are higher than respondents at the national and state level.
- Students at Hays CISD reported a higher percentage of ever taking prescription drugs without a doctor's prescription more than national and statewide reports.
- 32.4% of Hays CISD students reported being offered, sold, or given an illegal drug by someone on school property within the past year before the survey. This percentage is substantially higher than U.S., Texas, and prior Hays reports.

Table 3: Percent Responses to Alcohol and Other Drug Use Statements, by Survey

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
#40. Drank alcohol for the first time before age 13 years (other than a few sips)	18.6%	18.1%	21.0%	20.2% (637)
#41. Had at least one drink of alcohol on at least 1 day (during the 30 days before the survey)	34.9%	36.1%	44.6%	37.4% (1196)
#42. Had five or more drinks of alcohol in a row within a couple of hours on at least 1 day (during the 30 days before the survey)	20.8%	21.0%	26.8%	21.9% (698)
#43. Usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol during the 30 days before the survey)	41.8%	42.1%	19.0%	15.0% (474)
#44. **Had at least one drink of alcohol on school property on at least 1 day (during the 30 days before the survey)	No Data	No Data	8.2%	7.9% (255)
#45. Ever used marijuana one or more times (during their life)	40.7%	37.5%	47.2%	43.6% (1393)
#45. Tried marijuana for the first time before age 13 years	8.6%	8.2%	12.9%	11.1% (346)
<b>#46. Used marijuana one or more times</b> (during the 30 days before the survey)	23.4%	20.5%	28.3%	26.5% (845)
\$47. **Used marijuana on school property one or more times (during the 30 days before the survey)	No Data	No Data	7.2%	6.9% (220)
<b>#48.</b> Ever used any form of cocaine one or more times (for example, powder, crack, or freebase, during their life)	5.5%	8.3%	12.1%	8.9% (283)
#49. Ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times (during their life)	8.9%	9.5%	11.0%	7.6% (245)
#50. Ever used heroin one or more times (also called "smack", "junk", or "China white", during their life)	2.2%	3.8%	3.7%	3.1% (95)
#51. Ever used methamphetamines one or more times (also called "speed", "crystal", "crank", or "ice", during their life)	3.2%	4.8%	5.8%	4.6% (147)

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
#52. Ever used ecstasy one or more times (also called "MDMA", during their life)	6.6%	8.8%	10.3%	8.6% (277)
#53. Ever took steroid pills or shots without a doctor's prescription one or more times (during their life)	3.2%	4.6%	4.3%	4.4% (142)
#54. Ever took prescription drugs one or more times without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, during their life)	17.8%	19.0%	25.9%	23.3% (744)
#55. Ever used a needle to inject any illegal drug into their body one or more times (during their life)	1.7%	2.9%	4.0%	2.9% (93)
#56. Offered, sold, or given an illegal drug by someone on school property (during the 12 months before the survey)	22.1%	26.4%	29.3%	32.4% (1035)

#### Sexual Behavior

- Hays CISD students reported ever having sexual intercourse less often than U.S, Texas, and previous Hays reports.
- Hays CISD students were more likely to report being taught in school about AIDS or HIV infection than students statewide.
- One out of every 8 Hays CISD students reported having had four or more sexual partner during their lives.

Table 4: Percent Responses to Sexual Behavior Statements, by Survey

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
<b>#58.</b> Are you sexually active? (Sexual activity refers to physical contact with another person; up to but not including sexual intercourse).	No Data	No Data	53.9%	49.4%**** (1571)
#59. Ever had sexual intercourse	46.8%	45.9%	51.2%	43.5% (1385)
#60. Had sexual intercourse for the first time before age 13 years	5.6%	5.2%	11.2%	8.6%*** (272)
#61. Had sexual intercourse with four or more persons (during their life)	15.0%	14.9%	15.1%	12.2% (385)
#79. Were never taught in school about AIDS or HIV infection	14.7%	20.6%	13.9%	13.5% (428)

- \*\*\*\*The CDC definition of sexual activity includes physical contact with another person and includes intercourse. Therefore, a comparison of Hays CISD data cannot be made to National or Texas data.
- \*\*\*Hays 2014 questionnaire includes age 13 in answer choice. Therefore, numbers may be higher than National and Texas data.

#### Dietary Behaviors and Weight Control

- More students reported not eating fruit during the week prior to this survey than students nation and statewide.
- More Hays CISD students reported not that they had not eaten for 24 hours or more, had vomited or took laxatives, or had taken diet pills, powders or liquids (without doctor's advice) to lose weight or to keep from gaining weight in the month prior to this survey than national and statewide reports.

Table 5: Percent Responses to Dietary Behavior and Weight Control Statements, by Survey

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
#64. Described themselves as slightly or very overweight	31.1%	31.7%	27.6%	32.5% (1031)
#66. Did not eat for 24 or more hours to lose weight or to keep from gaining weight (during the 30 days before the survey)	13.0%	12.2%	16.7%	15.0% (476)
#67. Took diet pills, powders or liquids to lose weight or to keep from gaining weight (without a doctor's advice, during the 30 days before the survey)	5.0%	8.8%	10.0%	9.1% (289)
#68. Vomited or took laxatives to lose weight or to keep from gaining weight (during the 30 days before the survey)	4.4%	5.8%	8.1%	7.0% (222)
<b>#69. Did not eat fruit</b> (during the 7 days before the survey)	5.0%	5.9%	19.0%	18.0% (569)
#71. How many days in a week do you eat fast food?	No Data	No Data	More than 1 day: 45.3%	More than 1 day: 46.6% (1475)

#### **Physical Activity**

- Approximately half of Hays CISD students report not attending physical education classes in an average week when in school. However, this percentage is lower than U.S. and Texas reports.
- More Hays CISD students (one out of every two) reported not playing on a sports team run by the school or community groups during the year prior to this survey than national and statewide reports.
- Hays CISD students reported watching television less often per day compared to U.S., Texas, and prior Hays reports.
- Additionally, Hays CISD students used computers less often per day compared to the other data sources as well.

Table 6: Percent Responses to Physical Activity Statements, by Survey

Question	United States	Texas	Hays	Hays
	2013	2013	2012	2014
#74. **Physically active at least 60 minutes per day on less than 5 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	No Data	No Data	63.0%	57.5% (1810)
#77. Did not attend physical education classes in an average week (when they were in school)	52.0%	49.9%	41.8%	47.2% (1491)
#74. Did not participate in at least 60 minutes of physical activity on any day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	15.2%	16.6%	15.3%	16.4% (515)
<b>#78. Did not play on sports teams</b> (run by their school or community groups during the 12 months before the survey)	46.0%	45.3%	45.8%	47.7% (1504)
<b>#75. Watched television 3 or more hours per day</b> (on an average school day)	32.5%	32.9%	33.7%	26% (820)
#76. Used computers 3 or more hours per day (played video or computer games or used a computer for something that was not school work on an average school day)	41.3%	38.0%	31.4%	31.7% (998)

#### **Other Health Topics**

- Asthma rates among Hays CISD respondents are higher than national data; however are relatively comparable to Texas data.
- Nearly one out of every six students report they still have asthma.

Table 7: Percent Responses to Other Health Topics Statements, by Survey

Question	United States 2013	Texas 2013	Hays 2012	Hays 2014
#80. Ever told by a doctor or nurse that they had asthma	21.0%	24.1%	23.3%	24.0% (758)
#81. **Ever told by a doctor or nurse that they had asthma and still have asthma	No Data	No Data	16.0%	17.2% (542)
#82. **Do you or anyone in your family have diabetes?	No Data	No Data	63.1%	57.3% (1804)

<sup>\*\*</sup> Issue with the question/Not CDC specific or question not asked

## Site-Specific Questions Hays CISD 2014

Site-specific questions refer to new questions that have never been asked previously by the CDC nor the Hays CISD 2012 survey. Therefore, items cannot be compared to National or Texas data

Question	Response
#8. Do you text while driving?	Never- 71.3% (2305)
•	Sometimes- 23.5% (761)
	Most of the time- 2.4% (79)
	Always- 2.4% (78)
#23. In the past 12 months have you ever felt threatened	Yes- 6.6% (214)
or unsafe because of your perceived sexual orientation or	No- 92.8% (2997)
gender identity?	, ,
#25. In the last 12 months, have you cut or injured	Yes- 14.5% (468)
yourself intentionally without the intent to die?	No- 84.8 (2735)
#34. During the past month, how often have you used E-	I did not use E-Cigarettes- 78.6% (2525)
Cigarettes?	1 time per day- 8.0% (257)
	2-5 times per day- 5.8% (185)
	6-10 times per day- 2.5% (79)
	More than 10 times per day- 5.0% (160)
#57. During the past 12 months, has anyone offered, sold,	Yes- 27.0% (863)
or given you a prescription drug (such as OxyContin,	No- 71.9% (2294)
codeine, Percocet, Ritalin, Adderall, or Xanax) on school	
property?	
#60. How old were you when you had sexual intercourse	I have never had sexual intercourse- 55% (1747)
for the first time?	13 years old or younger- 8.6% (272)
	14 years old- 9.3% (296)
	15 years old- 13.9% (440)
	16 years old- 8.1% (256)
	17 years old or older- 5.0% (158)
#62. When you were sexually active, did you or your	I am not sexually active- 53.6% (1695)
partner use a condom?	Never- 8.4% (267)
	Sometimes- 12.7% (401)
	Most of the time- 7.7% (242)
	Always- 17.3% (546)
#63. When you have had sexual intercourse, what one	I have never had sexual intercourse- 56.0% (1757)
method do you or your partner use to prevent	No method was used to prevent pregnancy- 4.0% (127)
pregnancy?	Birth control pills- 6.5% (204)
	Condoms- 23.3% (731)
	IUD- 2.9% (92)
	Withdrawal- 4.4% (139)
	Some other method- 1.1% (35)
	Not sure- 1.6% (50)
#65. Which of the following are you trying to do about	Lose- 51.2% (1623)
your weight?	Gain- 17.2% (546)
	Stay the same- 15.5% (493)
	Not trying to do anything about it- 15.7% (498)
#72. How often do you drink soda, such as Coke, Pepsi, or	I do not drink soda- 43.2% (1363)
Sprite? (Do not count diet soda).	1 per day- 40.5% (1280)
	2 per day- 10.9% (345)
	3 or more per day- 5.0% (159)

Question	Response
#83. When you are sick, where do you go to seek	School based Well Clinic- 9.7% (301)
treatment?	HEB RediClinic- 8.5% (263)
	Emergency Room- 5.2% (161)
	Other clinic or hospital- 75.3% (2332)
#85. During an average week when you are in school,	0 hours- 37.6% (1180)
how many total hours do you participate in school	1 to 4 hours- 28.7% (900)
activities such as sports, band, drama, or clubs?	5 to 9 hours- 17.0% (532)
	10 to 19 hours- 9.5% (297)
	20 or more hours- 7.0% (221)
#86. During an average week outside of school, how	0 hours- 46.3% (1452)
many hours do you participate in activities such as sports,	1 to 4 hours- 27.9% (876)
band, drama, clubs?	5 to 9 hours- 13.0% (407)
	10 to 19 hours- 6.7% (211)
	20 or more hours- 5.8% (182)
#87. During the past 30 days, how many times did you	0 times- 62.7% (1966)
perform any organized community service as a non-paid	1 time- 14.3% (337)
volunteer, such as serving meals to the elderly, picking up	2 of 3 times- 13.7% (429)
litter, helping out at a hospital, or building homes for the	4 or 5 times- 4.2% (133)
poor?	6 or more times- 4.8% 150)
#88. During an average week when you are in school,	0 hours- 68.3% (2131)
how many total hours do you participate in activities run	1 to 4 hours- 20.6% (643)
by community groups? (Include activities run by 4-H, Boys	5 to 9 hours- 6.0% (187)
and Girls Club, YMCA, sports clubs, or church groups).	10 to 19 hours- 2.7% (85)
	20 or more hours- 2.1% (66)

#### Special Items Table

Items found on this table cannot be compared to other data due to wording issues and/or specifics with previous years answer choices.

#70. How many servings of vegetables do you eat on a	None- 23.3% (736)
typical day?	1- 42.4% (1342)
	2- 24.2% (765)
	3 or more- 9.8% (310)
#72. How often do you drink soda, such as a Coke, Pepsi,	I do not drink soda- 43.2% (1363)
or Sprite? (Do not count diet soda)	1 per day- 40.5% (1280)
	2 per day- 10.9% (345)
	3 or more per day- 5.0% (159)
#73. How often do you drink energy drinks, such as Red	I do not drink energy drinks- 81.0% (2560)
Bull, Monster, Rock Star?	1 time per day- 14.8% (469)
	2 times per day- 2.0% (64)
	3 or more times per day- 1.5% (48)
#84. How often does one of your parents talk with you	Never- 9.9% (312)
about what you are doing in school?	Less than once a month- 9.2% (289)
	About once or twice a month- 9.7% (305)
	About once or twice a week- 24.2% (762)
	About every day- 46.6% (1465)

#### **Crosstab Questions**

The purpose of cross tabulation is to compare separate survey items and search for patterns of interaction to determine whether there is a relationship between the items.

#### Crosstab Table 1:

During the past 12 months		26. Did you ever seriously consider attempting suicide?		
		Yes	No	
21. Have you ever been bullied	Yes	7.5%	13.6%	
on school property?	No	8.2%	70.7%	

Crosstab Table 2:			
		•	r seriously consider ing suicide?
		Yes	No
22. Have you ever been electronically bullied? (Included being bullied through e-mail,	Yes	6.0%	9.0%
chat rooms, instant messaging, Web sites, or texting.)	No	9.8%	75.3%

#### Crosstab Table 3:

		22. During the past 12 months, have you ever been electronically bullied?	
		Yes	No
64. How do you describe your weight?	Very underweight	0.9%	2.5%
	Slightly underweight	1.9%	10.3%
	About the right weight	6.8%	45.1%
	Slightly overweight	4.4%	23.4%
	Very overweight	1.0%	3.7%

#### Crosstab Table 4:

		you ever bee	past 12 months, have n bullied on school operty?
		Yes	No
64. How do you describe your weight?	Very underweight	1.2%	2.2%
	Slightly underweight	2.6%	9.5%
	About the right weight	9.5%	42.4%
	Slightly overweight	6.3%	21.5%
	Very overweight	1.5%	3.3%

Crosstab Table 5:		60. How	old were	you who	en you h	ad sexu	al	
		i	ntercourse	for the	first tim	ie?		
		I have	13 years	14	15	16	17	
		never had sexual intercourse	old or younger	years old	years old	years old	years old	
	I have never had a drink of alcohol other than a few sips	30.0%	2.3%	1.4%	2.2%	1.2%	1.1%	
40. How old were you	8 years old or younger	2.4%	1.7%	1.1%	1.2%	0.2%	0.3%	
when you had your first drink of alcohol	9 or 10 years old	1.8%	0.8%	0.9%	0.8%	0.5%	0.0%	
other than a few sips?	11 or 12 years old	3.3%	1.2%	1.4%	1.3%	0.8%	0.2%	
other than a rew sips:	13 or 14 years old	8.0%	1.7%	2.9%	3.9%	1.8%	0.8%	
	15 or 16 years old	7.5%	0.8%	1.6%	4.2%	3.1%	1.6%	
	17 years old or older	1.6%	0.1%	0.2%	0.4%	0.4%	1.1%	

#### Crosstab Table 6:

		42. During the past month, on how many days did you have 5 or more drinks of alcohol in a row, that is, with a couple of hours?					
		0 days	1 or 2 days	once a week	weekends only	most days	everyday
61. During your	I have never had sexual intercourse	51.5%	3.9%	0.2%	1.3%	0.2%	0.0%
life, with how	1 person	13.1%	2.0%	0.3%	1.7%	0.2%	0.2%
many people	2 people	5.0%	1.7%	0.2%	0.8%	0.1%	0.1%
have you had	3 people	3.2%	1.0%	0.1%	1.2%	0.1%	0.0%
sexual	4 people	2.2%	0.5%	0.1%	0.8%	0.1%	0.0%
intercourse?	5 people	1.2%	0.4%	0.1%	0.6%	0.0%	0.0%
	6 or more people	2.2%	1.0%	0.3%	1.9%	0.3%	0.4%

#### Crosstab Table 7:

			octor or nu It you have	rse ever told you asthma?
		Yes	No	Not sure
	I did not smoke cigarettes during the past month	19.8%	61.7%	2.8%
33. During the past month, on the days you smoked, how many cigarettes did you smoke per day?	Less than 1 cigarette per day	1.5%	3.8%	0.3%
	1 cigarette per day	0.8%	2.2%	0.5%
	2 to 5 cigarettes per day	1.5%	3.2%	0.3%
	6 to 10 cigarettes per day	0.2%	0.4%	0.1%
	11 to 20 cigarettes per day	0.0%	0.1%	0.0%
	More than 20 cigarettes per day	0.3%	0.2%	0.1%

### Crosstab Table 8:

		71. How many days in a week do you eat fast food?			
		0-1	2-3	4 or more	
02 Da ar ana. in	Yes	30.2%	23.8%	4.5%	
82. Do you or anyone in your family have	No	15.0%	10.2%	1.5%	
diabetes?	Not	8.0%	5.6%	1.2%	
	sure				

58. Are you sexually active? (Sexual activity refers to

#### Crosstab Table 9:

		physical contact with another person; up to but not including sexual intercourse.)		
		Yes	No	
46. During the past month, how many times did you use marijuana?	0 days	29.9%	43.9%	
	1 or 2 days	6.7%	2.9%	
	once a week	1.6%	0.5%	
	weekends only	3.3%	0.8%	
	most days	3.7%	1.1%	
	everyday	4.5%	1.2%	

#### Crosstab Table 10:

## 58. Are you sexually active? (Sexual activity refers to physical contact with another person; up to but not including sexual intercourse.)

54. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

	_	
	Yes	No
0 times	32.6%	44.1%
1 or 2 times	5.6%	3.0%
3 to 9 times	4.9%	1.7%
10 or more times	6.5%	1.6%

#### Crosstab Table 11:

## 62. When you were sexuality active, did you or your partner use a condom?

42. During the past month, on
how many days did you have 5
or more drinks of alcohol in a
row, that is, within a couple of
hours?

	I am not	Never	Sometimes	Most of	Always
	sexually active			the time	
0 days	49.1%	5.2%	7.5%	4.4%	12.0%
1 or 2 days	3.5%	1.2%	2.0%	1.3%	2.5%
once a week	0.1%	0.3%	0.4%	0.2%	0.1%
weekends only	1.0%	1.3%	2.2%	1.7%	2.2%
most days	0.2%	0.1%	0.4%	0.0%	0.3%
everyday	0.0%	0.4%	0.2%	0.0%	0.2%

#### Crosstab Table 12:

## 76. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?

		I do not play video games or computer games or use a computer for something that is not school work	Less than 1 hour per day	1 hour per day	2 hours per day	3 hours per day	4 hours per day	5 or more hours per day
	0 days	5.0%	1.9%	1.5%	1.5%	1.6%	1.2%	3.6%
74. During the past 7	1 day	2.3%	1.9%	0.9%	0.9%	0.9%	1.0%	1.5%
days, on how many	2 days	1.9%	1.5%	1.2%	1.5%	1.5%	0.6%	1.8%
days were you	3 days	3.0%	1.9%	1.6%	1.4%	1.2%	1.1%	1.3%
physically active for	4 days	2.6%	1.9%	1.0%	1.4%	1.2%	1.0%	1.1%
a total of at least 60	5 days	3.8%	2.5%	1.7%	1.9%	1.4%	0.9%	2.1%
minutes per day?	6 days	2.0%	1.8%	1.2%	0.8%	1.0%	0.3%	0.4%
	7 days	6.7%	4.4%	2.7%	2.0%	2.0%	1.1%	1.9%

#### Crosstab Table 13:

		8. Do you text while driving?			
		Never	Sometimes	Most of time	Always
42. During the past	0 days	61.4%	14.9%	1.2%	0.8%
month, on how many	1 or 2 days	5.6%	4.1%	0.4%	0.4%
days did you have 5 or	once a week	0.5%	0.5%	0.2%	0.1%
more drinks of alcohol	weekends only	3.2%	3.8%	0.5%	0.8%
in a row, that is, within a couple of	most days	0.5%	0.3%	0.1%	0.1%
hours?	everyday	0.3%	0.1%	0.0%	0.3%

#### Crosstab Table 14:

			you ever been ool property?
		Yes	No
84. How often	Never	2.90%	7.00%
does one of your	Less than once a month	2.50%	6.80%
parents talk with you about what you are doing in school?	About once or twice a month	2.10%	7.60%
	About once or twice a week	4.20%	20.10%
	About every day	9.50%	37.30%
<u> </u>			

21. During the past 12

# 21. During the past 12 months, have you ever been bullied on school property?

85. During an average week when
you are in school, how many total
hours do you participate in school
activities such as sports, band,
drama, or clubs?

	Yes	No
0 hours	7.80%	30.00%
1 to 4 hours	6.00%	22.80%
5 to 9 hours	3.90%	13.00%
10-19 hours	2.30%	7.20%
20 or more hours	1.20%	5.80%